



엑스칼리버-골드 : 1봉을 물 3L에 희석



물 3L에 희석한 엑스칼리버-골드를
물 300L에 혼용



2010년 6월 26일 범씨 파종한지
10일 된 묘판 300장에 관주



엑스칼리버-골드를 혼용한 뒤
물 300L에 묘판상자 300장에 관주
1상자에 1L 관주



엑스칼리버-골드를 관주한 묘판은
7월 2일에도 뜸묘, 곰팡이병이 발생하지 않음
이때 온도가 28~30℃

2010년 7월 2일 묘판에 엑스칼리버-골드를
처리하지 않은 묘판
모 밑부분에 곰팡이병, 뜸묘 발생이 심하였음



발아된 벼씨 40KG에 엑스칼리버-골드 한봉 분의처리

2011/05/10



골고루 섞어준 뒤 파종`

2011/05/10

엑스칼리버 골드
처리구

2011/05/20



엑스칼리버 골드
처리구

2011/05/20



뜸묘 발생이 일어난 상태

2011/05/20



뜸묘 발생으로 인하여
뿌리가 썩은 상태

2011/05/20



2011/05/16



선도농협 - 고품질 삼광벼 단지 (엑스칼리버-골드 처리구)



벼 채종포장


단지명	봉곡	품종명	삼광벼
시번	229-4	면적	28a
농가명	김희자	이영일	농사팀

2011/09/27



2011/12/07



A man in a blue polo shirt and dark trousers is leaning over a large red metal tub. He is carefully handling a dense cluster of small green plants growing in dark soil. The tub is supported by a blue metal frame. To the right, there are two grey, perforated metal trays. In the background, the lower legs and feet of another person in dark pants and brown shoes are visible. The ground is dry and dusty. A white plastic bag is partially visible in the bottom left corner.

육묘 침지시 엑스칼리버-골드 한봉을 물 100L
에 풀어서 사용함. (관주시 물 200L에 사용.)



정식 후 10~15일경 엑스칼리버-골드 150평에 한봉 관주.



엑스칼리버 골드
처리구

2011/09/09



엑스칼리버-골드를 부추에 처리한 상태.

2011/09/15